

TEST REPORT



REPORT NO.: CTNT240516004R

Product name:	Fan lights
Model No.:	FS-HX-R520
Applicant:	Shenzhen Mowenti Technology Co., Ltd
Test procedure:	Entrustment Test





TEST REPORT

Appendix BB to Subpart B of Part 430—Uniform Test Method for Measuring the Input Power, Lumen Output, Lamp Efficacy, Correlated Color Temperature (CCT), Color Rendering Index (CRI), Power Factor, Time to Failure, and Standby Mode Power of Integrated Light-Emitting Diode (LED) Lamps

Report Number.: CTNT240516004R

Date of issue: May 29,2024

Shenzhen Zhongwei Testing Technology Co., Ltd.

Room 1A106, 1/F., No.109, Lijia Road, Henggang, Henggang Street,

Name of Testing Laboratory

Longgang District, Shenzhen, Guangdong, China

preparing the Report: Tel: 086-755-28680489

E-mail: admin@ctnt-cert.com Web: www.ctnt-cert.com

Applicant's name....: Shenzhen Mowenti Technology Co., Ltd

Address: 528-529, Building G, Shenzhen Innovation Park, Huaning Road,

Dalang Street

Manufacturer: Shenzhen Mowenti Technology Co., Ltd

Dalang Street

Test specification:

Standard: 16 CFR § 430.32

Test procedure.....: Appendix BB to Subpart B of Part 430

Non-standard test method.....: N/A

Test Report Form No.....: DOE- LAM-TRF

Test Report Form(s) Originator....: 1.0

Master TRF: CTNT

General disclaimer:

The test results presented in this report relate only to the object tested.

This report shall not be reproduced, except in full, without the written approval of the Issuing CTNT Testing Laboratory. The authenticity of this Test Report and its contents can be verified by contacting the CTNT, responsible for this Test Report.

Test item description: Fan lights

Model/Type reference....: FS-HX-R520

Trade Mark: N/A

Ratings....: 85-265V~ 50/60Hz

Tel: 0755-28680489

E-mail: admin@ctnt-cert.com

Web: www.ctnt-cert.com



Responsible Testing Laboratory (as applical	ble), testing procedure	and testing location(s):
Laboratory Name	Shenzhen Zhongwei Testing Technology Co., Ltd.	
Testing location/ address:	Room 1A106, 1/F., No.109, Lijia Road, Henggang, Henggang Street, Longgang District, Shenzhen, Guangdong, China	
Tested by(Test Engineer):	Bert Young	Bert Young
Reviewed By(Supervisor)::	Airan Lu	ALLENO TECHU
Approved by(Chief Engineer):	Flight Lee	CTNT
Summary of testing:	PROVED	

Tests performed (name of test and test clause):

Determination of the result includes consideration of measurement uncertainty from the test equipment and methods.

A representative sample of the product covered bythis report has been tested and with the requirements of Appendix BB to Subpart B of Part 430.

Testing location:

Shenzhen Zhongwei Testing Technology Co., Ltd. Room 1A106, 1/F., No.109, Lijia Road, Henggang, Henggang Street, Longgang District, Shenzhen, Guangdong, China

Tel: 086-755-28680489

E-mail: admin@ctnt-cert.com

Web: www.ctnt-cert.com

General conditions for measurements:

1.Test Room

The tests shall be carried out in a room that has an air speed close to the appliance under test of \leq 0.5 m/s. The ambient temperature shall be maintained at (20 ± 5) °C throughout the test.

2. Power supply

Where this standard is referenced by an external standard or regulation that specifies a test voltage and frequency, the test voltage and frequency so defined shall be used for all tests. Where the test voltage and frequency are not defined by an external standard, the test voltage and the test frequency shall be the nominal voltage and the nominal frequency of the country for which the measurement is being determined ±1 %.

3. Supply voltage waveform

The total harmonic content of the supply voltage when supplying the appliance under test in the specified mode shall not exceed 2 %; harmonic content is defined as the root-mean-square (r.m.s.) summation of the individual components using the fundamental as 100 %.

4. Power measurement accuracy

Precision measurement of energy consumption shall be made with a precision equal to the greater of 0.1 Watt-hour or 1% of full-scale measurement.