

## TEST REPORT



REPORT NO.: CTNT2410110130102R

Product name: One-Piece Toilet, Siphon Flush

Model No.: ERI-1T365MB

Applicant: Eridanus Bathroom Inc.

Test procedure: Entrustment Test

Shenzhen CTNT Testing Technology Co., Ltd.





**TEST REPORT**  
**20 CA ADC § 1605.3**  
**Barclays Official California Code of Regulations**

**Report Number.....:** CTNT2410110130102R

**Date of issue.....:** Nov.18,2024

**Name of Testing Laboratory**  
**preparing the Report..... :** Shenzhen CTNT Testing Technology Co., Ltd.  
Room 1A106, 1/F., No.109, Lijia Road, Henggang, Henggang  
Street, Longgang District, Shenzhen, Guangdong, China  
Tel: 086-755-28680489  
E-mail: admin@ctnt-cert.com  
Web: www.ctnt-cert.com

**Applicant's name.....:** Eridanus Bathroom Inc.

**Address.....:** 9000 E Nichols Ave, Ste 204, Centennial, CO, 80112, United  
States

**Test specification:**

**Standard..... :** § 1605.3. State Standards for Non-Federally Regulated  
Appliances. (i) Plumbing Fixtures.

**Test procedure.....:** 10 CFR 430, Appendix S of Subpart B.  
ASME A112.19.2-2018  
ASME A112.19.2/CSA B45.1-2013

**Non-standard test method.....:** N/A

**Test Report Form No.....:** CEC- MT-TRF

**Test Report Form(s) Originator.....:** 1.0

**Master TRF.....:** CTNT

**General disclaimer:**

The test results presented in this report relate only to the object tested.

This report shall not be reproduced, except in full, without the written approval of the Issuing CTNT Testing Laboratory. The authenticity of this Test Report and its contents can be verified by contacting the CTNT, responsible for this Test Report.

**Test item description.....:** One-Piece Toilet, Siphon Flush

**Model/Type reference.....:** ERI-1T365MB, ERI-1T256, ERI-1T237, ERI-WT421,  
ERI-WT421MB, ERI-WT425, ERI-WT432, ERI-ST010-P,  
ERI-ST010-S, ERI-ST031-S

**Trade Mark.....:** Eridanus

**Manufacturer.....:** Eridanus Bathroom Inc.

This report may not be reproduced in part without permission to avoid ambiguous interpretation.

This report can be checked and verified in the following ways.


Tel: 0755-28680489

E-mail: admin@ctnt-cert.com

Web: www.ctnt-cert.com



**Responsible Testing Laboratory (as applicable), testing procedure and testing location(s):**

<b>Laboratory Name</b> .....:	Shenzhen CTNT Testing Technology Co., Ltd.	
<b>Testing location/ address</b> .....:	Room 1A106, 1/F., No.109, Lijia Road, Henggang, Henggang Street, Longgang District, Shenzhen, Guangdong, China	
<b>Tested by(Test Engineer)</b> .....:	Schale zeng	Schale zeng
<b>Reviewed By(Supervisor)</b> .....:	Oliver Long	Oliver Long
<b>Approved by(Chief Engineer)</b> .....:	Flight Lee	

**Summary of testing:****Tests performed (name of test and test clause):**

Determination of the result includes consideration of measurement uncertainty from the test equipment and methods.

A representative sample of the product covered by this report has been tested and One-Piece Toilet complies with the requirements of 20 CCR § 1605.3(i) Plumbing Fixtures.

**Testing location:**

Shenzhen CTNT Testing Technology Co., Ltd.  
Room 1A106, 1/F., No.109, Lijia Road, Henggang,  
Henggang Street, Longgang District, Shenzhen, Guangdong, China  
Tel: 086-755-28680489  
E-mail: admin@cntnt-cert.com  
Web: www.cntnt-cert.com

**General conditions for measurements:**

The following requirements shall apply to all water closet tests:

- The pressure- and flow-measuring apparatus employed for testing and the configuration of the water supply system shall be as shown in
  - Figure 11 for gravity and flushometer tank water closets; and
  - Figure 12 for flushometer valve water closets.
- The water supply system shall be standardized in accordance with Clause 7.1.5.1 or 7.1.5.2, as applicable.
- The temperature of the water shall be 18 to 27 °C (65 to 80°F).
- Water closets shall be tested at the test pressures specified in Table 5 or at the manufacturer's recommended minimum pressure. A test pressure greater than 550 kPa (80 psi) shall not be used.
- The specimen shall be placed on a flat and level or plumb surface, with the outlet and trap clear.
- The specimen shall discharge to atmosphere.

Tests shall be conducted in the sequence specified in Table 5

This report may not be reproduced in part without permission to avoid ambiguous interpretation.

This report can be checked and verified in the following ways.

Tel: 0755-28680489

E-mail: admin@cntnt-cert.com

Web: www.cntnt-cert.com