

TEST REPORT 黑鹟

REPORT NO.:CTNT2411080130501R

Product name:

small ceiling fan

Model No.: Gl

GLX063

Applicant:

Fuyangshi Chumeishangmao Youxiangongsi

Test procedure: Entrustment Test

Shenzhen CTNT



This report may not be reproduced in part without permission to avoid ambiguous interpretation. This report can be checked and verified in the following ways. Tel: 0755-28680489 E-mail: admin@ctnt-cert.com Web: www.ctnt-cert.com

CTNT [®]		Report No. CTNT2411080130501R			
	Page 2 of 8				
	TEST REPORT				
10 CFR	430.32(s)(1). (10 CFR 430).23(w).)			
Report Number	CTNT2411080130501R				
Date of issue	Nov.20,2024				
		E C			
	Shenzhen CTNT Testing Te	echnology Co., Ltd.			
	Room 1A106, 1/F., No.109, Lijia Road, Henggang, Henggang				
Name of Testing Laboratory	Street, Longgang District, Shenzhen, Guangdong, China				
preparing the Report:					
	E-mail: admin@ctnt-cert.cor	n			
0	Web: www.ctnt-cert.com				
Applicant's name:	Fuyangshi Chumeishangmao Youxiangongsi				
Address	Kaifaquguanqingluyinan, jin	gjiuxincunjingjiuban 1 hao Anzhiqu 9			
Address:	haolou 007 zhuang 0503 hao Fuyangshi 236000 Anhuisheng CN				
Test specification:					
Standard:	10 CFR 430.32(s)(1). (10 CFR 430.23(w).)				
Test procedure:	DOE: Appendix U to Subpart B of Part 430 - Uniform Test				
- 18 ·	Method for Measuring the Energy Consumption of Ceiling Fans				
Non-standard test method:	N/A	E C			
Test Report Form No	DOE-CCF				
Test Report Form(s) Originator:	1.0				
Master TRF:	CTNT				
General disclaimer:	L.S.				

The test results presented in this report relate only to the object tested.

This report shall not be reproduced, except in full, without the written approval of the Issuing CTNT Testing Laboratory. The authenticity of this Test Report and its contents can be verified by contacting the CTNT, responsible for this Test Report.

Test item description:	small ceiling fan
Model/Type reference:	GLX063, GLX047, GLX048, GLX053, GLX054, HMCF-005, HMCF-004, GLX022, GLX050, GLX051
Trade Mark:	N/A
Manufacturer:	Fuyangshi Chumeishangmao Youxiangongsi
Address:	Kaifaquguanqingluyinan, jingjiuxincunjingjiuban 1 hao Anzhiqu 9 haolou 007 zhuang 0503 hao Fuyangshi 236000 Anhuisheng CN
Ratings:	110-240V~ 50/60Hz 61W

This report may not be reproduced in part without permission to avoid ambiguous interpretation. This report can be checked and verified in the following ways. Tel: 0755-28680489 E-mail: admin@ctnt-cert.com Web: www.ctnt-cert.com

Page 3 of 8

Report No. CTNT2411080130501R

Responsible Testing Laboratory (as applical	ble), te	sting procedure	and te	esting location(s):	
Laboratory Name	Shen	nzhen CTNT Testing Technology Co., Ltd.			
Testing location/ address:	Room 1A106, 1/F., No.109, Lijia Road, Henggang, Henggang Street, Longgang District, Shenzhen, Guangdong, China				
Tested by(Test Engineer) : Geo		ge Tian Geofge Tlan		otge Tian	
Reviewed By(Supervisor):	Oliver Long			iver long.	
Approved by(Chief Engineer):	Flight	Lee		CANT	
Summary of testing:			Y?	Che Fin	
Tests performed (name of test and test clause):		Testing location	n:	TAPROVED	
Determination of the result includes consideration of		Shenzhen CTNT Testing Teannology Co., Ltd.			
measurement uncertainty from the test equipme	Room 1A106, 1/F., No.109, Lijia Road, Henggang,				
and methods.	Henggang Street, Longgang District, Shenzhen,				
A representative sample of the product covered by		Guangdong, China			
this report has been tested and Ceiling fan effic	Tel: 086-755-28680489				
complies with the requirements of the 10 CFR	E-mail: admin@ctnt-cert.com				
430.32(s)(1) and § 1605.1.		Web: www.ctnt-cert.com			

General conditions for measurements:

1.Test Room

The tests shall be carried out in a room that has an air speed close to the appliance under test of ≤ 0.5 m/s. The ambient temperature shall be maintained at 70 °F ± 5.0 °F, 50%RH±5%RH throughout the test.

2. Power supply

Where this standard is referenced by an external standard or regulation that specifies a test voltage and frequency, the test voltage and frequency so defined shall be used for all tests. Where the test voltage and frequency are not defined by an external standard, the test voltage and the test frequency shall be the nominal voltage and the nominal frequency of the country for which the measurement is being determined ± 1 %.

3. Supply voltage waveform

The total harmonic content of the supply voltage when supplying the appliance under test in the specified mode shall not exceed 2 %; harmonic content is defined as the root-mean-square (r.m.s.) summation of the individual components using the fundamental as 100 %.

4. Power measurement accuracy

Precision measurement of energy consumption shall be made with a precision equal to the greater of 0.1 Watt-hour or 1% of full-scale measurement.

This report may not be reproduced in part without permission to avoid ambiguous interpretation. This report can be checked and verified in the following ways. Tel: 0755-28680489 E-mail: admin@ctnt-cert.com Web: www.ctnt-cert.com