

## TEST REPORT



REPORT NO.:CTNT2412180110101R

Product name: Smart Toilet

Model No.: 2014C

Applicant: LOUPUSUO

Test procedure: Entrustment Test

Shenzhen CTNT Testing Technology Co., Ltd.



This report may not be reproduced in part without permission to avoid ambiguous interpretation.

This report can be checked and verified in the following ways.

Tel: 0755-28680489

E-mail: admin@ctnt-cert.com

Web: www.ctnt-cert.com



<b>TEST REPORT</b>	
<b>Appendix T to Subpart B of Part 430—Uniform Test Method for Measuring the Water Consumption of Water Closets and Urinals</b>	
<b>Report Number.....</b>	CTNT2412180110101R
<b>Date of issue .....</b>	Dec.24, 2024
<b>Name of Testing Laboratory preparing the Report .....</b>	Shenzhen CTNT Testing Technology Co., Ltd. Room 1A106, 1/F., No.109, Lijia Road, Henggang, Henggang Street, Longgang District, Shenzhen, Guangdong, China Tel: 086-755-28680489 E-mail: admin@cnt-cert.com Web: www.cnt-cert.com
<b>Applicant's name .....</b>	LOUPUSUO
<b>Address.....</b>	Guangdongshengshenzhenshilonghuaquminzhijiedaoxinniusheq upingguoyuan2dongjinniuzuo3k
<b>Test specification:</b>	
<b>Standard .....</b>	10 CFR 430, Appendix T to Subpart B. 10 CFR 430.32(q).
<b>Test procedure.....</b>	10 CFR 430, Appendix S of Subpart B. ASME A112.19.2–2018
<b>Non-standard test method .....</b>	N/A
<b>Test Report Form No.....</b>	DOE- MT-TRF
<b>Test Report Form(s) Originator ....</b>	1.0
<b>Master TRF.....</b>	CTNT
<b>General disclaimer:</b>  The test results presented in this report relate only to the object tested. This report shall not be reproduced, except in full, without the written approval of the Issuing CTNT Testing Laboratory. The authenticity of this Test Report and its contents can be verified by contacting the CTNT, responsible for this Test Report.	
<b>Test item description .....</b>	Smart Toilet
<b>Model/Type reference.....</b>	2014C
<b>Trade Mark .....</b>	LOUPUSUO
<b>Manufacturer .....</b>	LOUPUSUO

This report may not be reproduced in part without permission to avoid ambiguous interpretation.

This report can be checked and verified in the following ways.

Tel: 0755-28680489

E-mail: admin@cnt-cert.com

Web: www.cnt-cert.com



<b>Responsible Testing Laboratory (as applicable), testing procedure and testing location(s):</b>		
<b>Laboratory Name</b>	Shenzhen CTNT Testing Technology Co., Ltd.	
<b>Testing location/ address .....</b>	Room 1A106, 1/F., No.109, Lijia Road, Henggang, Henggang Street, Longgang District, Shenzhen, Guangdong, China	
<b>Tested by(Test Engineer) .....</b>	George Tian	George Tian
<b>Reviewed By(Supervisor).....</b>	Oliver Long	Oliver Long
<b>Approved by(Chief Engineer).....</b>	Flight Lee	Flight Lee
<b>Summary of testing:</b>		
<b>Tests performed (name of test and test clause):</b> Determination of the result includes consideration of measurement uncertainty from the test equipment and methods. A representative sample of the product covered by this report has been tested and Smart Toilet complies with the requirements of 10 CFR 430.32(q).	<b>Testing location:</b> Shenzhen CTNT Testing Technology Co., Ltd. Room 1A106, 1/F., No.109, Lijia Road, Henggang, Henggang Street, Longgang District, Shenzhen, Guangdong, China Tel: 086-755-28680489 E-mail: admin@cntnt-cert.com Web: www.cntnt-cert.com	
<b>General conditions for measurements:</b>		
The following requirements shall apply to all water closet tests: a) The pressure- and flow-measuring apparatus employed for testing and the configuration of the water supply system shall be as shown in i) Figure 11 for gravity and flushometer tank water closets; and ii) Figure 12 for flushometer valve water closets. b) The water supply system shall be standardized in accordance with Clause 7.1.5.1 or 7.1.5.2, as applicable. c) The temperature of the water shall be 18 to 27 °C (65 to 80°F). d) Water closets shall be tested at the test pressures specified in Table 5 or at the manufacturer's recommended minimum pressure. A test pressure greater than 550 kPa (80 psi) shall not be used. e) The specimen shall be placed on a flat and level or plumb surface, with the outlet and trap clear. f) The specimen shall discharge to atmosphere. Tests shall be conducted in the sequence specified in Table 5		
<b>Possible test case verdicts:</b>		
- test case does not apply to the test object .....: N/A		
- test object does meet the requirement .....: P (Pass)		
- test object does not meet the requirement .....: F (Fail)		

This report may not be reproduced in part without permission to avoid ambiguous interpretation.

This report can be checked and verified in the following ways.

Tel: 0755-28680489

E-mail: admin@cntnt-cert.com

Web: www.cntnt-cert.com