

# TEST REPORT

REPORT NO.:CTNT2412250020301R

Product name: Ceiling fan

Model No.:

TLCFLS-9045

Applicant:

Zhongshancity Chuangzaomei Lighting Electrical Co., Ltd

Test procedure: Entrustment Test

## Shenzhen CTNT



This report may not be reproduced in part without permission to avoid ambiguous interpretation.This report can be checked and verified in the following ways.Tel: 0755-28680489E-mail: admin@ctnt-cert.comWeb: www.ctnt-cert.com

CTNT™	Page 2 of 8	Report No. CTNT2412250020301R		
10 CFR	TEST REPORT 430.32(s)(1). (10 CFR 430			
Report Number:	CTNT2412250020301R			
Date of issue:	Jan.15, 2025			
E S	Shenzhen CTNT Testing Te Room 1A106, 1/F., No.109	echnology Co., Ltd. 9, Lijia Road, Henggang, Henggang		
Name of Testing Laboratory	Street, Longgang District, Shenzhen, Guangdong, China			
preparing the Report:	Tel: 086-755-28680489 E-mail: admin@ctnt-cert.com Web: www.ctnt-cert.com			
Applicant's name:		nei Lighting Electrical Co., Ltd		
Appricant s name		8		
Address:	One of the 5th floors of Building 1, No. 7, Lifeng Road, Maohui Industrial Zone, Henglan Town, Zhongshan City, Guangdong Province, China			
Test specification:	I I I I I I I I I I I I I I I I I I I			
Standard:	10 CFR 430.32(s)(1). (10 CFR 430.23(w).)			
Test procedure:				
	Method for Measuring the Energy Consumption of Ceiling Fans			
Non-standard test method::	N/A			
Test Report Form No	DOE-CCF	J.S.		
Test Report Form(s) Originator:	1.0	N		
Master TRF:	CTNT			
General disclaimer:		<u> </u>		
The test results presented in this repo This report shall not be reproduced, ex Laboratory. The authenticity of this Te responsible for this Test Report.	cept in full, without the written	approval of the Issuing CTNT Testing		
Test item description	Ceiling fan			
Model/Type reference		044, TLCFLS-9046, TLCFLS-9047, 05-B, CF5003, CF5005, CF5006,		
Trade Mark	N/A			
Manufacturer	Zhongshancity Chuangzad	omei Lighting Electrical Co., Ltd		
	One of the 5th floors of B	uilding 1, No. 7, Lifeng Road, Maohui		
Address	Industrial Zone, Henglan T Province, China	own, Zhongshan City, Guangdong		
1 A A A A A A A A A A A A A A A A A A A				

This report may not be reproduced in part without permission to avoid ambiguous interpretation.This report can be checked and verified in the following ways.Tel: 0755-28680489E-mail: admin@ctnt-cert.comWeb: www.ctnt-cert.com

Page 3 of 8

Report No. CTNT2412250020301R

Responsible Testing Laboratory (as applical	ble), te	sting procedure	and testing location(s):	
Laboratory Name		Shenzhen CTNT Testing Technology Co., Ltd.		
Testing location/ address:	Room 1A106, 1/F., No.109, Lijia Road, Henggang, Henggang Street, Longgang District, Shenzhen, Guangdong, China			
Tested by(Test Engineer)	: George Tian		George Tian	
Reviewed By(Supervisor):	Oliver Long		Oliver Long.	
Approved by(Chief Engineer):	Flight Lee		CANT	
Summary of testing:			West of the	
Tests performed (name of test and test clause):		Testing location	TAPROVED	
Determination of the result includes consideration of		Shenzhen CTNT Testing Technology Co., Ltd.		
measurement uncertainty from the test equipment		Room 1A106, 1/F., No.109, Lijia Road, Henggang,		
and methods.		Henggang Street, Longgang District, Shenzhen,		
A representative sample of the product covered by		Guangdong, China		
this report has been tested and Ceiling fan efficiency		Tel: 086-755-28680489		
complies with the requirements of the 10 CFR		E-mail: admin@ctnt-cert.com		
430.32(s)(1).		Web: www.ctnt-cert.com		

### General conditions for measurements:

#### 1.Test Room

The tests shall be carried out in a room that has an air speed close to the appliance under test of  $\leq 0.5$  m/s. The ambient temperature shall be maintained at 70 °F ± 5.0 °F, 50% RH±5% RH throughout the test.

#### 2. Power supply

Where this standard is referenced by an external standard or regulation that specifies a test voltage and frequency, the test voltage and frequency so defined shall be used for all tests. Where the test voltage and frequency are not defined by an external standard, the test voltage and the test frequency shall be the nominal voltage and the nominal frequency of the country for which the measurement is being determined  $\pm 1$  %.

#### 3. Supply voltage waveform

The total harmonic content of the supply voltage when supplying the appliance under test in the specified mode shall not exceed 2 %; harmonic content is defined as the root-mean-square (r.m.s.) summation of the individual components using the fundamental as 100 %.

#### 4. Power measurement accuracy

Precision measurement of energy consumption shall be made with a precision equal to the greater of 0.1 Watt-hour or 1% of full-scale measurement.

This report may not be reproduced in part without permission to avoid ambiguous interpretation. This report can be checked and verified in the following ways. Tel: 0755-28680489 E-mail: admin@ctnt-cert.com Web: www.ctnt-cert.com