

# TEST REPORT

REPORT NO.:CTNT2412250020703R

Product name: Ceiling fan

Model No.:

TLCFLS-9090

Applicant:

Zhongshancity Chuangzaomei Lighting Electrical Co., Ltd

Test procedure: Entrustment Test

### Shenzhen CTNT



This report may not be reproduced in part without permission to avoid ambiguous interpretation.This report can be checked and verified in the following ways.Tel: 0755-28680489E-mail: admin@ctnt-cert.comWeb: www.ctnt-cert.com

## **CTNT**<sup>®</sup>

Page 2 of 8

Report No. CTNT2412250020703R

	TEST REPORT			
§ 1605.1. Federal and Sta	te Standards for Federally Regulated Appliances. 20 CA ADC § 1605.1			
Barclays Official California Code of Regulations				
	(Å)			
Report Number:	CTNT2412250020703R			
Date of issue:	Jan.15, 2025			
<u></u>				
	Shenzhen CTNT Testing Technology Co., Ltd. Room 1A106, 1/F., No.109, Lijia Road, Henggang, Henggang			
Name of Testing Laboratory	Street, Longgang District, Shenzhen, Guangdong, China			
preparing the Report	Tel: 086-755-28680489			
	E-mail: admin@ctnt-cert.com			
	Web: www.ctnt-cert.com			
Applicant's name:	Zhongshancity Chuangzaomei Lighting Electrical Co., Ltd			
	One of the 5th floors of Building 1, No. 7, Lifeng Road, Maohui			
Address:	Industrial Zone, Henglan Town, Zhongshan City, Guangdong			
	Province, China			
Test specification:				
Standard:	20 CA ADC § 1605.1			
Test procedure:	CEC: 20 CA ADC § 1605.1(d) Ceiling Fans.			
Non-standard test method::	N/A			
Test Report Form No:	CEC-TRF			
Test Report Form(s) Originator :	1.0			
Master TRF:	CTNT			
General disclaimer:				
The test results presented in this report	t relate only to the object tested.			
	ept in full, without the written approval of the Issuing CTNT Testing			
Laboratory. The authenticity of this Tes responsible for this Test Report.	t Report and its contents can be verified by contacting the CTNT,			
Test item description:	Ceiling fan			
Model/Type reference:	TLCFLS-9090, CF9033, CF9036, CF9038, CF9039, CF9066, CF9068, CF9069, FYM-R52-02B, FYM-R52-02W			
Trade Mark:	N/A			
Manufacturer:	Zhongshancity Chuangzaomei Lighting Electrical Co., Ltd			
Ś	One of the 5th floors of Building 1, No. 7, Lifeng Road, Maohui			
Address::	Industrial Zone, Henglan Town, Zhongshan City, Guangdong			
Dationa	Province, China			
Ratings:	120V~ 60Hz 30W			

This report may not be reproduced in part without permission to avoid ambiguous interpretation.This report can be checked and verified in the following ways.Tel: 0755-28680489E-mail: admin@ctnt-cert.comWeb: www.ctnt-cert.com

Page 3 of 8

Report No. CTNT2412250020703R

Responsible Testing Laboratory (as applical	ble), te	sting procedure	and testing location(s):	
Laboratory Name		Shenzhen CTNT Testing Technology Co., Ltd.		
Testing location/ address:	Room 1A106, 1/F., No.109, Lijia Road, Henggang, Henggang Street, Longgang District, Shenzhen, Guangdong, China			
Tested by(Test Engineer)	Georg	ge Tian	George Tian	
Reviewed By(Supervisor):	Oliver Long		Oliver Long.	
Approved by(Chief Engineer):	Flight	Lee	CANT	
Summary of testing:			West All	
<b>Tests performed (name of test and test clause):</b> Determination of the result includes consideration of measurement uncertainty from the test equipment		Testing location: Shenzhen CTNT Testing Technology Co., Ltd. Room 1A106, 1/F., No.109, Lijia Road, Henggang,		
and methods.		Henggang Street, Longgang District, Shenzhen,		
A representative sample of the product covered by		Guangdong, China		
this report has been tested and Ceiling fan efficiency		Tel: 086-755-28680489		
complies with the requirements of the 20 CA ADC § 1605.1(d).		E-mail: admin@ctnt-cert.com Web: www.ctnt-cert.com		

#### General conditions for measurements:

#### 1.Test Room

The tests shall be carried out in a room that has an air speed close to the appliance under test of  $\leq 0.5$  m/s. The ambient temperature shall be maintained at 70 °F ± 5.0 °F, 50% RH±5% RH throughout the test.

#### 2. Power supply

Where this standard is referenced by an external standard or regulation that specifies a test voltage and frequency, the test voltage and frequency so defined shall be used for all tests. Where the test voltage and frequency are not defined by an external standard, the test voltage and the test frequency shall be the nominal voltage and the nominal frequency of the country for which the measurement is being determined  $\pm 1$  %.

### 3. Supply voltage waveform

The total harmonic content of the supply voltage when supplying the appliance under test in the specified mode shall not exceed 2 %; harmonic content is defined as the root-mean-square (r.m.s.) summation of the individual components using the fundamental as 100 %.

#### 4. Power measurement accuracy

Precision measurement of energy consumption shall be made with a precision equal to the greater of 0.1 Watt-hour or 1% of full-scale measurement.

This report may not be reproduced in part without permission to avoid ambiguous interpretation. This report can be checked and verified in the following ways. Tel: 0755-28680489 E-mail: admin@ctnt-cert.com Web: www.ctnt-cert.com