

TEST REPORT

REPORT NO.:CTNT2412250020802R

Product name: Ceiling fan

Model No.:

TLCFLS-9045

Applicant:

Zhongshancity Chuangzaomei Lighting Electrical Co., Ltd

Test procedure: Entrustment Test

Shenzhen CTNT



This report may not be reproduced in part without permission to avoid ambiguous interpretation.This report can be checked and verified in the following ways.Tel: 0755-28680489E-mail: admin@ctnt-cert.comWeb: www.ctnt-cert.com

CTNT[®]

Page 2 of 8

Report No. CTNT2412250020802R

4	TEST REPORT		
§ 1605.1. Federal and Sta	te Standards for Federally Regulated Appliances.		
20 CA ADC § 1605.1			
Barclays Official California Code of Regulations			
Report Number:	(Č		
Date of issue:	Jan.15, 2025		
G			
	Shenzhen CTNT Testing Technology Co., Ltd.		
Name of Testing Laboratory	Room 1A106, 1/F., No.109, Lijia Road, Henggang, Henggang Street, Longgang District, Shenzhen, Guangdong, China		
	Tel: 086-755-28680489		
	E-mail: admin@ctnt-cert.com		
8	Web: www.ctnt-cert.com		
Applicant's name:	Zhongshancity Chuangzaomei Lighting Electrical Co., Ltd		
	One of the 5th floors of Building 1, No. 7, Lifeng Road, Maohui		
Address:	Industrial Zone, Henglan Town, Zhongshan City, Guangdong		
	Province, China		
Test specification:			
Standard:	20 CA ADC § 1605.1		
Test procedure:	CEC: 20 CA ADC § 1605.1(d) Ceiling Fans.		
Non-standard test method::	N/A		
Test Report Form No:	CEC-TRF		
Test Report Form(s) Originator :	1.0		
Master TRF:	CTNT		
General disclaimer:			
The test results presented in this report	relate only to the object tested.		
This report shall not be reproduced, except in full, without the written approval of the Issuing CTNT Testing			
-	t Report and its contents can be verified by contacting the CTNT,		
responsible for this Test Report.			
Test item description:	Ceiling fan		
Model/Type reference::	TLCFLS-9045, CF5012, CF5013, CF5018, CF5019, CF5022, CF5023, CF5028, CF5029, CF5030, CF5031		
Trade Mark:	N/A		
Manufacturer:	Zhongshancity Chuangzaomei Lighting Electrical Co., Ltd		
Ê	One of the 5th floors of Building 1, No. 7, Lifeng Road, Maohui		
Address::	Industrial Zone, Henglan Town, Zhongshan City, Guangdong		
	Province, China		
Ratings:	120V~ 60Hz 29W		

This report may not be reproduced in part without permission to avoid ambiguous interpretation.This report can be checked and verified in the following ways.Tel: 0755-28680489E-mail: admin@ctnt-cert.comWeb: www.ctnt-cert.com

Page 3 of 8

Report No. CTNT2412250020802R

Responsible Testing Laboratory (as applicat	ole), te	sting procedure and testing location(s):	
Laboratory Name		Shenzhen CTNT Testing Technology Co., Ltd.	
Testing location/ address:	Heng	Room 1A106, 1/F., No.109, Lijia Road, Henggang, Henggang Street, Longgang District, Shenzhen, Guangdong, China	
Tested by(Test Engineer) :	Georg	ge Tian George Tian	
Reviewed By(Supervisor)	Oliver	r Long OLiver Long.	
Approved by(Chief Engineer) Flight		Lee	
Summary of testing:		New Alter	
Tests performed (name of test and test clause):		Testing location:	
Determination of the result includes consideration of		Shenzhen CTNT Testing Technology Co., Ltd.	
measurement uncertainty from the test equipment		Room 1A106, 1/F., No.109, Lijia Road, Henggang,	
and methods.		Henggang Street, Longgang District, Shenzhen,	
A representative sample of the product covered by		Guangdong, China	
this report has been tested and Ceiling fan efficiency		Tel: 086-755-28680489	
complies with the requirements of the 20 CA ADC §		E-mail: admin@ctnt-cert.com	
1605.1(d).		Web: www.ctnt-cert.com	

General conditions for measurements:

1.Test Room

The tests shall be carried out in a room that has an air speed close to the appliance under test of ≤ 0.5 m/s. The ambient temperature shall be maintained at 70 °F ± 5.0 °F, 50% RH±5% RH throughout the test.

2. Power supply

Where this standard is referenced by an external standard or regulation that specifies a test voltage and frequency, the test voltage and frequency so defined shall be used for all tests. Where the test voltage and frequency are not defined by an external standard, the test voltage and the test frequency shall be the nominal voltage and the nominal frequency of the country for which the measurement is being determined ± 1 %.

3. Supply voltage waveform

The total harmonic content of the supply voltage when supplying the appliance under test in the specified mode shall not exceed 2 %; harmonic content is defined as the root-mean-square (r.m.s.) summation of the individual components using the fundamental as 100 %.

4. Power measurement accuracy

Precision measurement of energy consumption shall be made with a precision equal to the greater of 0.1 Watt-hour or 1% of full-scale measurement.

This report may not be reproduced in part without permission to avoid ambiguous interpretation. This report can be checked and verified in the following ways. Tel: 0755-28680489 E-mail: admin@ctnt-cert.com Web: www.ctnt-cert.com