

TEST REPORT

REPORT NO.:CTNT2502060090101R

FIGUULL Hame. Fan	Product name:	Fan Light
-------------------	---------------	-----------

Model No.:

SR6032B

Applicant:

Zhongshan Shirui Lighting Electrical Appliances Co.,Ltd.

Test procedure: Entrustment Test

Shenzhen CTNT



This report may not be reproduced in part without permission to avoid ambiguous interpretation. This report can be checked and verified in the following ways. Tel: 0755-28680489 E-mail: admin@ctnt-cert.com Web: www.ctnt-cert.com

CTNT [®]		L. C.
	Page 2 of 8	Report No. CTNT2502060090101R
	TEST REPORT	S
10 CFR	430.32(s)(1). (10 CFR 430	0.23(w).)
Report Number	CTNT2502060090101R	
Date of issue	Feb.19, 2025	
2 ^{SN}		S S
Ĩ	Shenzhen CTNT Testing Te Room 1A106, 1/F., No.10	echnology Co., Ltd. 9, Lijia Road, Henggang, Henggang
Name of Testing Laboratory	Street, Longgang District, S	Shenzhen, Guangdong, China
preparing the Report:		
	E-mail: admin@ctnt-cert.cor	m
	Web: www.ctnt-cert.com	
Applicant's name:	Zhongshan Shirui Lighting I	Electrical Appliances Co.,Ltd.
Address:	6/F, Building A, No. 3, Qing City, Guangdong Province,	'an Road, Henglan Town, Zhongshan P.R. China
Test specification:		
Standard:	10 CFR 430.32(s)(1). (10 C	FR 430.23(w).)
Test procedure	DOE: Appendix U to Sub	opart B of Part 430 - Uniform Test
	Method for Measuring the E	Energy Consumption of Ceiling Fans
Non-standard test method:	N/A	S ^E
Test Report Form No	DOE-CCF	
Test Report Form(s) Originator:	1.0	
Master TRF	CTNT	
General disclaimer:	23) 1	

The test results presented in this report relate only to the object tested.

This report shall not be reproduced, except in full, without the written approval of the Issuing CTNT Testing Laboratory. The authenticity of this Test Report and its contents can be verified by contacting the CTNT, responsible for this Test Report.

5

Test item description	Fan Light
Model/Type reference	SR6032B, SR6032, SR602, SR603, SR604, 8094, 8095, 8096, 8097, 8098
Trade Mark:	SEERUI
Manufacturer	Zhongshan Shirui Lighting Electrical Appliances Co.,Ltd.
Address:	6/F, Building A, No. 3, Qing'an Road, Henglan Town, Zhongshan City, Guangdong Province, P.R. China
Ratings:	120V~ 60Hz 20W

This report may not be reproduced in part without permission to avoid ambiguous interpretation. This report can be checked and verified in the following ways.

Tel: 0755-28680489 E-mail: admin@ctnt-cert.com Web: www.ctnt-cert.com

CTNT®

Page 3 of 8

Report No. CTNT2502060090101R

Responsible Testing Laboratory (as applicable), testing procedure and testing location(s):					
Laboratory Name	Shenz	Shenzhen CTNT Testing Technology Co., Ltd.			
Testing location/ address:	Heng	Room 1A106, 1/F., No.109, Lijia Road, Henggang, Henggang Street, Longgang District, Shenzhen, Guangdong, China			
Tested by(Test Engineer) :	Georg	ge Tian George Tian			
Reviewed By(Supervisor):	Oliver	Oliver Long Oliver Long			
Approved by(Chief Engineer):	Flight	Flight Lee			
Summary of testing:					
Tests performed (name of test and test clause):		Testing location:			
Determination of the result includes consideration of		Shenzhen CTNT Testing Technology Co., Ltd.			
measurement uncertainty from the test equipment		Room 1A106, 1/F., No.109, Lijia Road, Henggang,			
and methods.		Henggang Street, Longgang District, Shenzhen,			
A representative sample of the product covered by		Guangdong, China			
this report has been tested and Ceiling fan efficiency		Tel: 086-755-28680489			
complies with the requirements of the 10 CFR		E-mail: admin@ctnt-cert.com			
430.32(s)(1).		Web: www.ctnt-cert.com			

General conditions for measurements:

1.Test Room

The tests shall be carried out in a room that has an air speed close to the appliance under test of ≤ 0.5 m/s. The ambient temperature shall be maintained at 70 °F ± 5.0 °F, 50%RH±5%RH throughout the test.

2. Power supply

Where this standard is referenced by an external standard or regulation that specifies a test voltage and frequency, the test voltage and frequency so defined shall be used for all tests. Where the test voltage and frequency are not defined by an external standard, the test voltage and the test frequency shall be the nominal voltage and the nominal frequency of the country for which the measurement is being determined ± 1 %.

3. Supply voltage waveform

The total harmonic content of the supply voltage when supplying the appliance under test in the specified mode shall not exceed 2 %; harmonic content is defined as the root-mean-square (r.m.s.) summation of the individual components using the fundamental as 100 %.

4. Power measurement accuracy

Precision measurement of energy consumption shall be made with a precision equal to the greater of 0.1 Watt-hour or 1% of full-scale measurement.

This report may not be reproduced in part without permission to avoid ambiguous interpretation. This report can be checked and verified in the following ways. Tel: 0755-28680489 E-mail: admin@ctnt-cert.com Web: www.ctnt-cert.com