

TEST REPORT

REPORT NO.:CTNT2502190110101R



Model No.:

CM-FL-28-W

Applicant:

guang zhou xi wa dian zi shang wu you xian gong si

Test procedure: Entrustment Test

Shenzhen CTNT



This report may not be reproduced in part without permission to avoid ambiguous interpretation. This report can be checked and verified in the following ways. Tel: 0755-28680489 E-mail: admin@ctnt-cert.com Web: www.ctnt-cert.com

CTNT [®]	Page 2 of 8	Report No. CTNT2502190110101R		
	TEST REPORT	<u>s</u>		
10 CFR 430.32(s)(1). (10 CFR 430.23(w).)				
Report Number:	CTNT2502190110101R			
Date of issue:	Feb.27, 2025			
	Shenzhen CTNT Testing Te Room 1A106, 1/F., No.10	echnology Co., Ltd. 9, Lijia Road, Henggang, Henggang		
Name of Testing Laboratory preparing the Report:		henzhen, Guangdong, China n		
	Web: www.ctnt-cert.com			
Applicant's name:	guang zhou xi wa dian zi sh	nang wu you xian gong si		
Address:	Panyuqu yingbinlu179hao3 511400 CN	dong401shi guangzhou guangdong		
Test specification:				
Standard	10 CFR 430.32(s)(1). (10 C	FR 430.23(w).)		
Test procedure:		part B of Part 430 - Uniform Test Energy Consumption of Ceiling Fans		
Non-standard test method:	N/A	S.		
Test Report Form No	DOE-CCF	L. C.		
Test Report Form(s) Originator:	1.0			
Master TRF:	CTNT			
General disclaimer:				

The test results presented in this report relate only to the object tested.

This report shall not be reproduced, except in full, without the written approval of the Issuing CTNT Testing Laboratory. The authenticity of this Test Report and its contents can be verified by contacting the CTNT, responsible for this Test Report.

5

Test item description:	Fan light
Model/Type reference:	CM-FL-28-W, CM-FL-28-B, CM-FL-36-W, CM-FL-36-B, HT-FL-28-W, HT-FL-28-B, CM-FL-36-W, CM-FL-36-B, CM-1, CM-2
Trade Mark:	N/A
Manufacturer:	guang zhou xi wa dian zi shang wu you xian gong si
Address:	Panyuqu yingbinlu179hao3dong401shi guangzhou guangdong 511400 CN
Ratings	100-240V~ 50/60Hz 35W

This report may not be reproduced in part without permission to avoid ambiguous interpretation. This report can be checked and verified in the following ways.

Tel: 0755-28680489 E-mail: admin@ctnt-cert.com Web: www.ctnt-cert.com

Page 3 of 8

Report No. CTNT2502190110101R

Responsible Testing Laboratory (as applicable), testing procedure and testing location(s):				
Laboratory Name	Shenz	zhen CTNT Testing Technology Co., Ltd.		
Testing location/ address:	Heng	Room 1A106, 1/F., No.109, Lijia Road, Henggang, Henggang Street, Longgang District, Shenzhen, Guangdong, China		
Tested by(Test Engineer) :	Georg	ge Tian George Tian		
Reviewed By(Supervisor):	Oliver	r Long Oliver Long.		
Approved by(Chief Engineer):	Flight			
Summary of testing:				
Tests performed (name of test and test clause):		Testing location:		
Determination of the result includes consideration of		Shenzhen CTNT Testing Technology Co., Ltd.		
measurement uncertainty from the test equipment		Room 1A106, 1/F., No.109, Lijia Road, Henggang,		
and methods.		Henggang Street, Longgang District, Shenzhen,		
A representative sample of the product covered by		Guangdong, China		
this report has been tested and Ceiling fan efficiency		Tel: 086-755-28680489		
complies with the requirements of the 10 CFR		E-mail: admin@ctnt-cert.com		
430.32(s)(1).		Web: www.ctnt-cert.com		

General conditions for measurements:

1.Test Room

The tests shall be carried out in a room that has an air speed close to the appliance under test of ≤ 0.5 m/s. The ambient temperature shall be maintained at 70 °F ± 5.0 °F, 50%RH±5%RH throughout the test.

2. Power supply

Where this standard is referenced by an external standard or regulation that specifies a test voltage and frequency, the test voltage and frequency so defined shall be used for all tests. Where the test voltage and frequency are not defined by an external standard, the test voltage and the test frequency shall be the nominal voltage and the nominal frequency of the country for which the measurement is being determined ± 1 %.

3. Supply voltage waveform

The total harmonic content of the supply voltage when supplying the appliance under test in the specified mode shall not exceed 2 %; harmonic content is defined as the root-mean-square (r.m.s.) summation of the individual components using the fundamental as 100 %.

4. Power measurement accuracy

Precision measurement of energy consumption shall be made with a precision equal to the greater of 0.1 Watt-hour or 1% of full-scale measurement.

This report may not be reproduced in part without permission to avoid ambiguous interpretation. This report can be checked and verified in the following ways. Tel: 0755-28680489 E-mail: admin@ctnt-cert.com Web: www.ctnt-cert.com